



Drip System Utilities

Accessories



Application tools



Connectors



Fittings



PE pipes



Connectors

Netafim™ comprehensive range of pipe connector systems is made of high resistance and durability polymers. They are functional and viable, modeled under the highest market standards and available for all pipe types. Use the catalog to select the right line for your application: barb connectors, fast ring connectors, Fler connectors and a vast family of start and reducing connectors.



Barb connectors

Netafim has 4 connector sub-families for dripperlines: 12, 16, 17, and 20mm

Applications:

In thick walled dripperlines 0.9, 1.0 and 1.2mm

Benefits:

Relatively easy to install

UV resistant

Durable one-piece construction



Fast Ring connectors

These have been long-standing in the Netafim product line, invented and manufactured by Netafim.

Applications:

In thin & medium walled dripperlines between 0.1mm (4mil) and 0.8mm (32mil)

Benefits:

Highly reliable connector

Very easy to handle

In certain models the connector is supplied in one piece (with rings assembled)

Easily released from the pipe when required

UV resistant



Fler connectors

A new connector family, manufactured at Netafim and innovative in the market

Applications:

In thin walled dripperlines between 0.20mm (8mil) and 0.63mm (25mil)

Benefits:

An extremely reliable connector (fastened by a nut)

Very short (the shortest possible) with minimal interference in the retrieval process.

Very narrow (slightly wider than the dripperline it holds) causing minimal interference with passage through mechanical tools.

Easily opened (when required).


Chemical resistant


UV resistant





12 mm barb connectors for PE pipes


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
10.2	1.0	39	3.5	Dripline™ 12010, Tiran™ 12010
10.2	1.2	47	4.0	Tiran™ 12012


Description	Coupling barb 12 x 12		
Catalog numbers	1 unit	32500-002200	
	50 units/bag	32500-002220	
	100 units/bag	32500-002230	


Description	"T" barb 12 x 12 x 12		
Catalog numbers	1 unit	32500-002500	
	50 units/bag	32500-002520	
	100 units/bag	32500-002530	


Description	Elbow barb 12 x 12		
Catalog numbers	1 unit	32500-003200	
	50 units/bag	32500-003220	
	100 units/bag	32500-003230	


Description	"8" line end 12 mm		
Catalog numbers	1 unit	32500-003500	
	50 units/bag	32500-003520	
	100 units/bag	32500-003530	


Description	Straight barb 12 threaded male 1/2"		
Catalog numbers	1 unit	32500-002300	
	50 units/bag	32500-002306	
	100 units/bag		


Description	"Y" barb 12 x 2 threaded male 3/4"		
Catalog numbers	1 unit	32500-002800	
	50 units/bag	32500-002810	
	100 units/bag		


Description	Elbow barb 12 threaded male 1/2"		
Catalog numbers	1 unit	32500-003300	
	50 units/bag	32500-003320	
	100 units/bag		


Description	"W" barb 12 x 3 threaded male 3/4"		
Catalog numbers	1 unit	32500-002820	
	50 units/bag	32500-002840	
	100 units/bag		


Description	"T" barb 12 x 2 threaded male 1/2"		
Catalog numbers	1 unit	32500-002310	
	50 units/bag	32500-002320	
	100 units/bag	32500-002330	


Description	Barb 12 x 3 threaded female 3/4"		
Catalog numbers	1 unit	32500-002900	
	50 units/bag	32500-002920	
	100 units/bag		

Description	Straight barb 12 threaded male 3/4"		
Catalog numbers	1 unit	32500-002400	
	50 units/bag	32500-002420	
	100 units/bag		

Description	Barb 12 x 4 threaded female 3/4"		
Catalog numbers	1 unit	32500-003000	
	50 units/bag	32500-003020	
	100 units/bag		

Description	Elbow barb 12 threaded male 3/4"		
Catalog numbers	1 unit	32500-003400	
	50 units/bag	32500-003420	
	100 units/bag	32500-003430	

Description	Barb 12 x 6 threaded female 3/4"		
Catalog numbers	1 unit	32500-003100	
	50 units/bag	32500-003120	
	100 units/bag	32500-003130	

Description	"T" barb 12 x 2 threaded male 3/4"		
Catalog numbers	1 unit	32500-002700	
	50 units/bag	32500-002720	
	100 units/bag	32500-002730	


50 and 100 units/bag available upon request.




16 mm barb connectors for PE pipes

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
13.2 - 14.0	0.9	35	3.0	UniRam™ 16009, DripNet PC™ 16350*, Tiran™ 16009
	1.0	39	3.5	UniRam™ 16010, Ram™ 16010, DripNet PC™ 16390*, Tiran™ 16010
	1.2	47	4.0	UniRam™ 16012, Ram™ 16012, Tiran™ 16012

* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall thickness)

Description	Coupling barb 16 x 16		
Catalog numbers	1 unit	32500-010700	
	50 units/bag	32500-010720	
	100 units/bag	32500-010730	

Description	"T" barb 16 x 16 x 16		
Catalog numbers	1 unit	32500-011300	
	50 units/bag	32500-011320	
	100 units/bag	32500-011330	


Description	Elbow barb 16 x 16		
Catalog numbers	1 unit	32500-012500	
	50 units/bag	32500-012520	
	100 units/bag	32500-012530	

Description	"8" line end 16 mm		
Catalog numbers	1 unit	32500-013000	
	50 units/bag	32500-013020	
	100 units/bag	32500-013030	

Description	Straight barb 16 threaded male ½"		
Catalog numbers	1 unit	32500-010900	
	50 units/bag	32500-010920	
	100 units/bag		

Description	"Y" barb 16 x 2 threaded male ¾"		
Catalog numbers	1 unit	32500-011200	
	50 units/bag	32500-011220	
	100 units/bag	32500-011230	

Description	Elbow barb 16 threaded male ½"		
Catalog numbers	1 unit	32500-012700	
	50 units/bag	32500-012720	
	100 units/bag	32500-012730	

Description	"W" barb 16 x 3 threaded male ¾"		
Catalog numbers	1 unit	32500-012400	
	50 units/bag	32500-012425	
	100 units/bag	32500-012430	

Description	"T" barb 16 x 2 threaded male ½"		
Catalog numbers	1 unit	32500-011600	
	50 units/bag	32500-011620	
	100 units/bag		

Description	"T" barb 16 x 2 threaded female ¾"		
Catalog numbers	1 unit	32500-011700	
	50 units/bag	32500-011720	
	100 units/bag		

Description	Straight barb 16 threaded male ¾"		
Catalog numbers	1 unit	32500-011000	
	50 units/bag	32500-011020	
	100 units/bag	32500-011030	


Description	Barb 16 x 3 threaded female ¾"		
Catalog numbers	1 unit	32500-011900	
	50 units/bag	32500-011920	
	100 units/bag		


Description	Elbow barb 16 threaded male ¾"		
Catalog numbers	1 unit	32500-012800	
	50 units/bag	32500-012820	
	100 units/bag	32500-012830	

Description	Barb 16 x 4 threaded female ¾"		
Catalog numbers	1 unit	32500-012100	
	50 units/bag	32500-012120	
	100 units/bag		

50 and 100 units/bag available upon request.

Description			"T" barb 16 x 2 threaded male ¾"	
Catalog numbers	1 unit	32500-011800		
	50 units/bag	32500-011820		
	100 units/bag			

Description			Barb 16 x 6 threaded female ¾"	
Catalog numbers	1 unit	32500-012300		
	50 units/bag	32500-012320		
	100 units/bag			


Description			Barb 16 threaded loose female ¾"	
Catalog numbers	1 unit	32500-011100		
	50 units/bag			
	100 units/bag			





17 mm barb connectors for PE pipes


Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
	0.9	35	3.0	UniRam™ 17009, DripNet PC™ 17350*, Tiran™ 17009, Dripline™
14.2 - 15.2	1.0	39	3.5	UniRam™ 17010, Ram™ 17010, DripNet PC™ 17390*, Tiran™ 17010
	1.2	47	4.0	UniRam™ 17012, Ram™ 16012, Tiran™ 17012


* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall tickness)


Description			Coupling barb 17 x 17	
Catalog numbers	1 unit	32500-003800		
	50 units/bag	32500-003810		
	100 units/bag	32500-003820		


Description			"T" barb 17 x 17 x 17	
Catalog numbers	1 unit	32500-004900		
	50 units/bag	32500-004920		
	100 units/bag	32500-004930		


Description			Elbow barb 17 x 17	
Catalog numbers	1 unit	32500-005900		
	50 units/bag	32500-005920		
	100 units/bag	32500-005940		

Description			"8" line end 17 mm	
Catalog numbers	1 unit	32500-013000		
	50 units/bag	32500-013020		
	100 units/bag	32500-013030		


Description			"Cross" barb 17 x 17 x 17 x 17	
Catalog numbers	1 unit	32500-006300		
	50 units/bag	32500-006320		
	100 units/bag	32500-006330		


Description			Ring line end 17 mm (body & ring)	
Catalog numbers	100 units/bag	32500-007580		


Description			Straight barb 17 threaded male ½"	
Catalog numbers	1 unit	32500-004400		
	50 units/bag	32500-004430		
	100 units/bag	32500-004440		


Description			"T" barb 17 x 2 threaded female ¾"	
Catalog numbers	1 unit	32500-004700		
	50 units/bag	32500-004720		
	100 units/bag	32500-004730		


50 and 100 units/bag available upon request.


Description	Elbow barb 17 threaded male ½"		
Catalog numbers	1 unit	32500-006000	
	50 units/bag	32500-006020	
	100 units/bag	32500-006030	


Description	"T" barb 17 x 2 threaded male ½"		
Catalog numbers	1 unit	32500-004450	
	50 units/bag		
	100 units/bag		


Description	Straight barb 17 threaded male ¾"		
Catalog numbers	1 unit	32500-004490	
	50 units/bag	32500-004492	
	100 units/bag	32500-004493	


Description	Elbow barb 17 threaded male ¾"		
Catalog numbers	1 unit	32500-006100	
	50 units/bag	32500-006120	
	100 units/bag	32500-006130	


Description	"T" barb 17 x 2 threaded male ¾"		
Catalog numbers	1 unit	32500-004800	
	50 units/bag	32500-004820	
	100 units/bag	32500-004830	


Description	"Y" barb 17 x 2 threaded male ½"		
Catalog numbers	1 unit	32500-004460	
	50 units/bag		
	100 units/bag	32500-004475	


Description	"Y" barb 17 x 2 threaded male ¾"		
Catalog numbers	1 unit	32500-004600	
	50 units/bag	32500-004620	
	100 units/bag	32500-004630	


Description	"W" barb 17 x 3 threaded male ¾"		
Catalog numbers	1 unit	32500-005200	
	50 units/bag	32500-005220	
	100 units/bag	32500-005230	


Description	Barb 17 x 3 threaded female ¾"		
Catalog numbers	1 unit	32500-005100	
	50 units/bag	32500-005120	
	100 units/bag	32500-005130	


Description	Barb 17 x 4 threaded female ¾"		
Catalog numbers	1 unit	32500-005300	
	50 units/bag	32500-005320	
	100 units/bag	32500-005330	

Description	Barb 17 x 6 threaded female ¾"		
Catalog numbers	1 unit	32500-005400	
	50 units/bag	32500-005420	
	100 units/bag	32500-005430	

Description	"T" barb 17 x 2 threaded female 1"		
Catalog numbers	1 unit	32500-005500	
	50 units/bag	32500-005520	
	100 units/bag	32500-005530	

Description	Barb 17 x 3 threaded female 1"		
Catalog numbers	1 unit	32500-005600	
	50 units/bag	32500-005610	
	100 units/bag	32500-005620	

Description	Barb 17 x 4 threaded female 1"		
Catalog numbers	1 unit	32500-005700	
	50 units/bag	32500-005710	
	100 units/bag		

Description	Barb 17 x 6 threaded female 1"		
Catalog numbers	1 unit	32500-005800	
	50 units/bag	32500-005810	
	100 units/bag		


50 and 100 units/bag available upon request.





20 mm barb connectors for PE pipes


Pipe inside Ø (mm)	Wall thickness (mm) (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
17.4 - 17.6	1.0	39	3.5
	1.2	47	4.0
			UniRam™ 20010, Ram™ 20010, DripNet PC™ 20390*, Tiran™ 20010
			UniRam™ 20012, Ram™ 20012, Tiran™ 20012


* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall thickness)


Description	Coupling barb 20 x 20		
Catalog numbers	1 unit	32500-007600	
	50 units/bag	32500-007620	
	100 units/bag	32500-007630	

Description	"T" barb 20 x 20 x 20		
Catalog numbers	1 unit	32500-008400	
	50 units/bag	32500-008420	
	100 units/bag	32500-008430	


Description	Elbow barb 20 x 20		
Catalog numbers	1 unit	32500-010000	
	50 units/bag	32500-010020	
	100 units/bag	32500-010030	

Description	"8" line end 20 mm		
Catalog numbers	1 unit	32500-014400	
	50 units/bag	32500-014420	
	100 units/bag	32500-014430	


Description	Straight barb 20 threaded male 1/2"		
Catalog numbers	1 unit	32500-008000	
	50 units/bag	32500-008030	
	100 units/bag	32500-008030	


Description	"Y" barb 20 x 2 threaded male 3/4"		
Catalog numbers	1 unit	32500-008300	
	50 units/bag	32500-008320	
	100 units/bag	32500-008330	


Description	Elbow barb 20 threaded male 1/2"		
Catalog numbers	1 unit	32500-014500	
	50 units/bag	32500-014515	
	100 units/bag		


Description	"W" barb 20 x 3 threaded male 3/4"		
Catalog numbers	1 unit	32500-009000	
	50 units/bag	32500-009020	
	100 units/bag	32500-009030	


Description	"T" barb 20 x 2 threaded male 3/4"		
Catalog numbers	1 unit	32500-014550	
	50 units/bag		
	100 units/bag		


Description	"T" barb 20 x 2 threaded female 3/4"		
Catalog numbers	1 unit	32500-008900	
	50 units/bag	32500-008920	
	100 units/bag	32500-008930	


Description	Straight barb 20 threaded male 3/4"		
Catalog numbers	1 unit	32500-008100	
	50 units/bag	32500-008120	
	100 units/bag	32500-008130	

Description	Barb 20 x 3 threaded female 3/4"		
Catalog numbers	1 unit	32500-009100	
	50 units/bag	32500-009120	
	100 units/bag	32500-009130	


Description	Elbow barb 20 threaded male 3/4"		
Catalog numbers	1 unit	32500-010100	
	50 units/bag	32500-010110	
	100 units/bag		


Description	Barb 20 x 4 threaded female 3/4"		
Catalog numbers	1 unit	32500-009200	
	50 units/bag	32500-009220	
	100 units/bag	32500-009230	


Description	"T" barb 20 x 2 threaded male 3/4"		
Catalog numbers	1 unit	32500-008800	
	50 units/bag	32500-008820	
	100 units/bag	32500-008830	


Description	Barb 20 x 6 threaded female 3/4"		
Catalog numbers	1 unit	32500-009300	
	50 units/bag	32500-009320	
	100 units/bag	32500-009330	


50 and 100 units/bag available upon request.

Description	"T" barb 20 x 2 threaded female 1"		
Catalog numbers	1 unit	32500-009400	
	50 units/bag	32500-009420	
	100 units/bag	32500-009430	

Description	Barb 20 x 3 threaded female 1"		
Catalog numbers	1 unit	32500-009500	
	50 units/bag	32500-009520	
	100 units/bag	32500-009530	


Description	Barb 20 threaded loose female 3/4"		
Catalog numbers	1 unit	32500-008270	
	50 units/bag		
	100 units/bag		


Description	Barb 20 x 4 threaded female 1"		
Catalog numbers	1 unit	32500-009600	
	50 units/bag	32500-009620	
	100 units/bag	32500-009630	


Description	Outlet: barb 20 x 6 Inlet: threaded female 1"		
Catalog numbers	1 unit	32500-009800	
	50 units/bag	32500-009820	
	100 units/bag	32500-009830	





12, 16, 17, 20 mm reducing connectors for PE pipes


Description	Reducing coupling barb 12 barb 16		
Catalog numbers	1 unit	32500-010800	
	50 units/bag	32500-010820	
	100 units/bag	32500-010830	


Description	Reducing coupling barb 17 barb 20		
Catalog numbers	1 unit	32500-004300	
	50 units/bag	32500-004315	
	100 units/bag	32500-004330	


Description	Reducing coupling barb 12 barb 17		
Catalog numbers	1 unit	32500-004100	
	50 units/bag	32500-004120	
	100 units/bag		


Description	Reducing "T" barb 12 x 2 barb 16		
Catalog numbers	1 unit	32500-002600	
	50 units/bag	32500-002620	
	100 units/bag	32500-002630	


Description	Reducing coupling barb 12 barb 20		
Catalog numbers	1 unit	32500-007800	
	50 units/bag	32500-007830	
	100 units/bag		

Description	Reducing "T" barb 16 x 2 barb 12		
Catalog numbers	1 unit	32500-011400	
	50 units/bag	32500-011420	
	100 units/bag		


Description	Reducing coupling barb 16 barb 17		
Catalog numbers	1 unit	32500-004250	
	50 units/bag	32500-004260	
	100 units/bag	32500-004270	


Description	Reducing "T" barb 16 x 2 barb 20		
Catalog numbers	1 unit	32500-011500	
	50 units/bag	32500-011520	
	100 units/bag		


Description	Reducing coupling barb 16 barb 20		
Catalog numbers	1 unit	32500-007900	
	50 units/bag	32500-007920	
	100 units/bag	32500-007930	


Description	Reducing "T" barb 17 x 2 barb 16		
Catalog numbers	1 unit	32500-005000	
	50 units/bag	32500-005020	
	100 units/bag		


50 and 100 units/bag available upon request.


Description	Reducing "T" barb 20 x 2 barb 12		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-008500	

Description	"T" barb /ring connector (body & 2 flat rings) flat ring 16 x 2 barb 17		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-018900	

Description	Reducing "T" barb 20 x 2 barb 16		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-008600 32500-008620	

Description	Elbow barb /ring connector (body & flat ring) flat ring 16 barb 16		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-012900 32500-012920	

Description	"T" barb /ring connector (body & 2 flat rings) flat ring 16 x 2 barb 16		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-018800 32500-018820	


Description	Elbow barb /ring connector (body & flat ring) flat ring 16 barb 17		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-006400	





12, 16, 17, 20 mm insert start connectors for PVC pipes


Recommended hole for barb start connectors:


- 1) 16 mm. in PVC pipe up to 4 mm. wall thickness
- 2) 16.5 mm. in PVC pipe with more than 4 mm. wall thickness

Description	Start connector for PVC barb 12 w/seal, model P		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-003706	


Description	Start connector for PVC barb 16 w/seal, model P		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-013770 32500-013785	

Description	Start connector for PVC barb 17 w/seal, model P		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-006620 32500-006630	


Description	Start connector for PVC barb 20 w/seal, model P		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-010470 32500-010485	


Description	Seal for start barb connector Model P		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-010450 32500-010455 32500-010460	


Description	Start connector for PVC barb 12 w/seal, model T		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-024000	


Description	Start connector for PVC barb 16 w/seal, model T		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-013700 32500-013720 32500-013730	

50 and 100 units/bag available upon request.

Description	Start connector for PVC barb 17 w/seal, model T		
Catalog numbers	1 unit	32500-006700	
	50 units/bag	32500-006720	
	100 units/bag	32500-006730	

Description	Start connector for PVC barb 20 w/seal, model T		
Catalog numbers	1 unit	32500-010300	
	50 units/bag	32500-010330	
	100 units/bag	32500-010340	

Description	Seal for start connector Model T		
Catalog numbers	1 unit	32000-007000	
	50 units/bag	32000-007015	
	100 units/bag		


Description	Start elbow connector for PVC, barb 17 w/seal, model T		
Catalog numbers	1 unit	32500-006800	
	50 units/bag		
	100 units/bag	32500-006820	


Photos show assembly with seal. Connectors are delivered with seals not assembled.





12, 16, 17, 20 mm start connectors for PE pipes 20-75 mm


Recommended hole for barb start connectors: 8 mm

Description	Start connector for PE, barb 12		
Catalog numbers	1 unit	32500-003705	
	50 units/bag	32500-003702	
	100 units/bag		

Description	Start connector for PE, barb 20		
Catalog numbers	1 unit	32500-010350	
	50 units/bag	32500-010370	
	100 units/bag	32500-010380	

Description	Start connector for PE, barb 16		
Catalog numbers	1 unit	32500-013750	
	50 units/bag	32500-013760	
	100 units/bag	32500-013765	


Description	Start connector for PE, ring 16 (for thin walled dripperlines)		
Catalog numbers	1 unit	32500-017770	
	50 units/bag	32500-017785	
	100 units/bag		


Description	Start connector for PE, barb 17		
Catalog numbers	1 unit	32500-006600	
	50 units/bag	32500-006605	
	100 units/bag	32500-006610	





12, 16, 17, 20 mm band start connectors for PE pipes 32-50 mm

Recommended hole for 12, 16, 17 mm band start connectors: 16 mm, for 20 mm: 11 mm


Description	Barb 12 on saddle to assemble a bundled start connector		
Catalog numbers	1 unit	32500-003600	
	50 units/bag	32500-003620	
	100 units/bag	32500-003630	


Description	Barb 17 on saddle to assemble a bundled start connector		
Catalog numbers	1 unit	32500-006550	
	50 units/bag	32500-006570	
	100 units/bag		


Description	Barb 16 on saddle to assemble a bundled start connector		
Catalog numbers	1 unit	32500-013300	
	50 units/bag	32500-013320	
	100 units/bag	32500-013330	


Description	Barb 20 on saddle to assemble a bundled start connector		
Catalog numbers	1 unit	32500-010200	
	50 units/bag	32500-010220	
	100 units/bag		


50 and 100 units/bag available upon request.


Description	Fast 16 on saddle to assemble a bundled start connector		
Catalog numbers	1 unit	32500-017800	
	50 units/bag	32500-017820	
	100 units/bag	32500-017830	

Description	Seal to assemble a bundled start connector – 20		
Catalog numbers	1 unit	32500-010400	
	50 units/bag		
	100 units/bag		

Description	Plug on saddle to assemble a bundled plug		
Catalog numbers	1 unit	32500-013400	
	50 units/bag	32500-013420	
	100 units/bag		

Description	Band to assemble a bundled start connector – 12 & 16		
Catalog numbers	1 unit	32500-014000	
	50 units/bag	32500-014020	
	100 units/bag	32500-014030	


Description	Seal to assemble a bundled start connector – 12, 16 & 17		
Catalog numbers	1 unit	32500-013900	
	50 units/bag	32500-013920	
	100 units/bag	32500-013930	


Description	Band to assemble a bundled start connector – 17 & 20		
Catalog numbers	1 unit	32500-010500	
	50 units/bag	32500-010520	
	100 units/bag		



Start screw connectors for PE pipes 50-75 mm

Recommended hole for screw nut start connectors: 12 mm

Description	Start screw nut connector for PE, barb 17		
Catalog numbers	1 unit	32500-007100	
	50 units/bag	32500-007120	
	100 units/bag	32500-007130	


Description	Start screw nut connector for PE, fast with blue ring (for thin walled dripperlines)		
Catalog numbers	1 unit	32500-018550	
	50 units/bag		
	100 units/bag		


Description	Start screw nut connector for PE, fast body w/o ring		
Catalog numbers	1 unit	32500-018500	
	50 units/bag	32500-018510	
	100 units/bag	32500-018520	




8 mm barb connectors for PE pipes

Pipe inside Ø (mm)	Wall thickness (mm)	Max. working pressure (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
6.4	0.8	32	2.5	Microdrip 8

Description	Coupling barb 8 x 8		
Catalog numbers	1 unit	32500-002000	
	50 units/bag	32500-002020	
	100 units/bag	32500-002030	

Description	"T" barb 8 x 8 x 8		
Catalog numbers	1 unit	32500-002100	
	50 units/bag	32500-002115	
	100 units/bag	32500-002120	

Description	Elbow barb 8 x 8		
Catalog numbers	1 unit	32500-001900	
	50 units/bag	32500-001915	
	100 units/bag	32500-001920	

50 and 100 units/bag available upon request.



5 mm barb connectors for PE pipes

Pipe inside Ø (mm)	Wall thickness (mm) (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
3.3 - 3.5	0.8 32	2.5	3x5 blank micro-tube

Description	"T" barb 5 x 5 x 5		
Catalog numbers	1 unit	32500-001500	
	50 units/bag	32500-001520	
	100 units/bag	32500-001530	

Description	Male threaded 5 mm x 2 barb 5		
Catalog numbers	1 unit	32500-001300	
	50 units/bag	32500-001320	
	100 units/bag	32500-001330	

Description	"T" barb 5 x 5 x 5 (brown)		
Catalog numbers	1 unit	32500-001600	
	50 units/bag	32500-001620	
	100 units/bag		

Description	Male threaded 5 mm x 2 barb 5 (brown)		
Catalog numbers	1 unit	32500-001400	
	50 units/bag		
	100 units/bag		

Description	Barb/Mth start connector 5 mm		
Catalog numbers	1 unit	32500-001100	
	50 units/bag	32500-001110	
	100 units/bag		

Description	"T" barb Mth 5 x Mth 5 x Mth 5		
Catalog numbers	1 unit	32500-001700	
	50 units/bag	32500-001720	
	100 units/bag	32500-001730	

Description	Barb/barb start connector 5 mm		
Catalog numbers	1 unit	32000-001900	
	50 units/bag	32000-001920	
	100 units/bag	32000-001930	


Description	"T" barb Mth 5 x Mth 5 x Mth 5 (brown)		
Catalog numbers	1 unit	32500-001800	
	50 units/bag	32500-001820	
	100 units/bag	32500-001830	


Mth = Male threaded.


50 and 100 units/bag available upon request.


Barb connectors 12, 16, 17, 18, 20 mm for mining (violet color)


Max. working pressure: 3 bar with 1.2 mm wall thickness dripperlines

Description	Coupling barb 12 x 12		
Catalog numbers	1 unit	32500-002250	
	50 units/bag		
	100 units/bag	32500-002270	


Description	Coupling barb 16 x 16		
Catalog numbers	1 unit	32500-010680	
	50 units/bag	32500-010685	
	100 units/bag	32500-010690	

Description	Coupling barb 17 x 17		
Catalog numbers	1 unit	32500-003900	
	50 units/bag	32500-003915	
	100 units/bag	32500-003930	

Description	Coupling barb 18 x 18		
Catalog numbers	1 unit	32500-014217	
	50 units/bag		
	100 units/bag	32500-014227	

Description	Coupling barb 20 x 20		
Catalog numbers	1 unit	32500-007700	
	50 units/bag	32500-007721	
	100 units/bag	32500-007730	

Description	Elbow barb 12 x 12		
Catalog numbers	1 unit	32500-003250	
	50 units/bag		
	100 units/bag		

Description	Elbow barb 16 x 16		
Catalog numbers	1 unit	32500-012480	
	50 units/bag		
	100 units/bag		

Description	Elbow barb 17 x 17		
Catalog numbers	1 unit	32500-005970	
	50 units/bag		
	100 units/bag		

Description	Elbow barb 18 x 18		
Catalog numbers	1 unit	32500-014261	
	50 units/bag		
	100 units/bag		

Description	Elbow barb 20 x 20		
Catalog numbers	1 unit	32500-010050	
	50 units/bag		
	100 units/bag		


50 and 100 units/bag available upon request.


Barb connectors 12, 16, 17, 18, 20 mm for mining (violet color)

Max. working pressure: 3 bar with 1.2 mm wall thickness dripperlines


Description	Straight barb 12 threaded male ½"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-002360	

Description	Straight barb 16 threaded male ½"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-010935	

Description	Straight barb 16 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-011050	

Description	Straight barb 17 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-004520 32500-004530	

Description	Straight barb 18 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-014150 32500-014150	


Description	Straight barb 20 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-008250	


Description	"Y" barb 12 x 2 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-002750	


Description	"Y" barb 16 x 2 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-011240	

Description	"Y" barb 17 x 2 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-004650	

Description	"Y" barb 18 x 2 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-014251	

Description	"Y" barb 20 x 2 threaded male ¾"		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-008350	

Description	Start connector, barb 16, model P		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-014120	

Description	Reducing coupling barb 12 barb 16		
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-010870	

50 and 100 units/bag available upon request.



16 mm ring connectors for thin walled PE pipes

Pipe inside Ø (mm)	Wall thickness		Max. working pressure (bar)	To fit Netafim dripperlines
	(mm)	(mil)		
15.9-16.1	0.10	4.0	0.60	Streamline™ 16040
	0.15	6.0	0.65	Streamline™ 16060,
	0.20	8.0	0.85	Streamline™ 16080, Super Typhoon™ 16080
	0.25	10.0	1.00	Streamline™ 16100, Super Typhoon™ 16100
	0.31	12.5	1.40	Streamline™ 16125, Super Typhoon™ 16125, DripNet PC™ 16125
	0.38	15.0	1.80	Streamline™ 16150, Super Typhoon™ 16150, DripNet PC™ 16150

Description	Fast coupling connector 16 w/blue rings		
Catalog numbers	1 unit	32500-016740	
	50 units/bag	32500-016760	
	100 units/bag	32500-016770	

Description	Fast 16 x 3 w/blue rings threaded female 3/4"		
Catalog numbers	1 unit	32500-015500	
	50 units/bag		
	100 units/bag	32500-015530	

Description	Fast 16 x 2 w/blue rings threaded female 3/4"		
Catalog numbers	1 unit	32500-016520	
	50 units/bag	32500-016525	
	100 units/bag	32500-016530	

Description	Fast 16 x 4 w/blue rings threaded female 3/4"		
Catalog numbers	1 unit	32500-015700	
	50 units/bag		
	100 units/bag	32500-015730	

Description	Fast 16 w/blue ring barb 16		
Catalog numbers	1 unit	32500-017040	
	50 units/bag	32500-017060	
	100 units/bag	32500-017070	

Description	Fast 16 x 6 w/blue rings threaded female 3/4"		
Catalog numbers	1 unit	32500-016550	
	50 units/bag		
	100 units/bag	32500-016570	

Description	Fast 16 w/blue ring barb 17		
Catalog numbers	1 unit	32500-006200	
	50 units/bag	32500-006220	
	100 units/bag		

Description	Fast 16 w/blue ring threaded male 1/2"		
Catalog numbers	1 unit	32500-015100	
	50 units/bag		
	100 units/bag	32500-015130	

Description	Fast 16 line end w/blue ring		
Catalog numbers	1 unit	32500-016460	
	50 units/bag	32500-016480	
	100 units/bag	32500-016490	

Description	Fast 16 w/blue ring threaded male 3/4"		
Catalog numbers	1 unit	32500-015250	
	50 units/bag	32500-015270	
	100 units/bag	32500-015280	

Description	Blue ring 16		
Catalog numbers	1 unit	32500-017400	
	50 units/bag	32500-017420	
	100 units/bag	32500-017430	


Description	Start for PE, on saddle, complete (band + body + seal + blue ring)		
Catalog numbers	1 unit	32500-018000	
	50 units/bag	32500-018003	
	100 units/bag	32500-018005	


50 and 100 units/bag available upon request.



16 mm ring connectors for thin/medium walled PE pipes

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim dripperlines
15.4-15.6	0.5	20.0	1.4	Typhoon™ 16200
	0.6	25.0	2.0	Typhoon™ 16250, DripNet PC™ 16250
	0.8	32.0	2.3	Typhoon™ 16320

Description	Fast coupling connector 16 w/o rings		
Catalog numbers	1 unit	32500-016720	
	50 units/bag	32500-016730	
	100 units/bag		


Description	Fast 16 line end w/o ring		
Catalog numbers	1 unit	32500-016450	
	50 units/bag	32500-016455	
	100 units/bag		


Description	Fast 16 x 2 w/o rings threaded female 3/4"		
Catalog numbers	1 unit	32500-015300	
	50 units/bag	32500-015320	
	100 units/bag	32500-015330	


Description	Fast 16 w/o ring threaded male 1/2"		
Catalog numbers	1 unit	32500-015000	
	50 units/bag		
	100 units/bag		


Description	Fast 16 x 3 w/o rings threaded female 3/4"		
Catalog numbers	1 unit	32500-015400	
	50 units/bag	32500-015420	
	100 units/bag	32500-015430	

Description	Fast 16 w/o ring threaded male 3/4"		
Catalog numbers	1 unit	32500-015200	
	50 units/bag		
	100 units/bag		

Description	Fast 16 x 4 w/blue rings threaded female 3/4"		
Catalog numbers	1 unit	32500-015600	
	50 units/bag		
	100 units/bag		

Description	White ring 16		
Catalog numbers	1 unit	32500-017600	
	50 units/bag	32500-017620	
	100 units/bag	32500-017630	

Description	Fast 16 x 6 w/o rings threaded female 3/4"		
Catalog numbers	1 unit	32500-015800	
	50 units/bag	32500-015830	
	100 units/bag		

Description	Black flat ring 16		
Catalog numbers	1 unit	32000-006950	
	50 units/bag	32000-006975	
	100 units/bag	32000-006980	


Description	Fast 16 w/o rings barb 16		
Catalog numbers	1 unit	32500-017020	
	50 units/bag	32500-017030	
	100 units/bag		


50 and 100 units/bag available upon request.





22 mm ring connectors for thin walled PE pipes

Pipe inside Ø (mm)	Wall thickness		Max. working pressure (bar)	To fit Netafim dripperlines
	(mm)	(mil)		
22.2	0.20	8.0	0.7	Python™ 22080
	0.25	10.0	0.9	Python™ 22100
	0.34	13.5	1.2	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.3	Python™ 22150, DripNet PC™ 22150

Description	Fast coupling connector 22 x 22 w/blue rings		
Catalog numbers	1 unit	32500-021300	
	50 units/bag		
	100 units/bag	32500-021320	

Description	Fast coupling connector 22 x 22 w/o rings		
Catalog numbers	1 unit	32500-020800	
	50 units/bag		
	100 units/bag		

Description	Fast 22 w/blue ring barb 20		
Catalog numbers	1 unit	32500-021200	
	50 units/bag	32500-021220	
	100 units/bag	32500-021230	

Description	Fast 22 w/o ring barb 20		
Catalog numbers	1 unit	32500-021100	
	50 units/bag		
	100 units/bag		

Description	Fast 22 w/blue ring threaded male 3/4"		
Catalog numbers	1 unit	32500-021000	
	50 units/bag		
	100 units/bag	32500-021020	

Description	Fast 22 w/o ring threaded male 3/4"		
Catalog numbers	1 unit	32500-020900	
	50 units/bag		
	100 units/bag		

Description	Blue ring 22		
Catalog numbers	1 unit	32500-022200	
	50 units/bag		
	100 units/bag		

50 and 100 units/bag available upon request.




Start connectors for Lay Flat pipes & spare parts


Description	LYF fast start connector 16 w/ring	
Catalog numbers	1 unit	32500-018045
	50 units/bag	
	100 units/bag	




Description	PXF & LYF barb 17 adapter	
Catalog numbers	1 unit	32500-007560
	50 units/bag	
	100 units/bag	32500-007562



Description	LYF fast start connector 22 w/ring	
Catalog numbers	1 unit	32500-018260
	50 units/bag	32500-018263
	100 units/bag	




Description	PXF & LYF barb 20 adapter	
Catalog numbers	1 unit	32500-010275
	50 units/bag	
	100 units/bag	32500-010280




Description	LYF barb 16 start connector	
Catalog numbers	1 unit	32500-013340
	50 units/bag	
	100 units/bag	




Description	PXF & LYF 3/4" male threaded adapter	
Catalog numbers	1 unit	32500-018095
	50 units/bag	
	100 units/bag	32500-018098




Description	LYF barb 17 start connector	
Catalog numbers	1 unit	32500-007555
	50 units/bag	
	100 units/bag	32500-007557




Description	LYF nut 3/8 ID	
Catalog numbers	1 unit	32500-018075
	50 units/bag	
	100 units/bag	




Description	LYF barb 20 start connector	
Catalog numbers	1 unit	32500-010255
	50 units/bag	
	100 units/bag	32500-010260




Description	LYF nut 1/2 ID	
Catalog numbers	1 unit	32500-018255
	50 units/bag	
	100 units/bag	




Description	LYF 3/4" male threaded start connector	
Catalog numbers	1 unit	32500-018085
	50 units/bag	
	100 units/bag	




Description	LYF repair device 3/8 ID – 1/2" male threaded	
Catalog numbers	1 unit	32500-018030
	50 units/bag	
	100 units/bag	




Description	PXF & LYF fast 16 w/o ring adapter	
Catalog numbers	1 unit	32500-018065
	50 units/bag	
	100 units/bag	




Description	LYF repair device 1/2 ID – 3/4" male threaded	
Catalog numbers	1 unit	32500-018035
	50 units/bag	
	100 units/bag	



Description	PXF & LYF fast 22 w/o ring adapter	
Catalog numbers	1 unit	32500-018245
	50 units/bag	
	100 units/bag	



Description	PXF & LYF barb 16 adapter	
Catalog numbers	1 unit	32500-013380
	50 units/bag	
	100 units/bag	32500-013390



50 and 100 units/bag available upon request.



12 mm Fler connectors

Pipe inside Ø (mm)	Wall thickness		Max. working pressure (bar)	To fit Netafim dripperlines
	(mm)	(mil)		
11.8	0.15	6.0	1.1	Streamline™ 12060
	0.20	8.0	1.4	Streamline™ 12080
	0.31	12.5	2.1	Super Typhoon™ 12125 , DripNet PC™ 12125
	0.38	15.0	2.5	Super Typhoon™ 12150 , DripNet PC™ 12150
	0.50	20.0	3.0	Super Typhoon™ 12200 , DripNet PC™ 12200*
	0.63	25.0	3.5	Super Typhoon™ 12250 , DripNet PC™ 12250*

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

Description	Coupling Fler 12 x Fler 12		
Catalog numbers	10 units/bag	32500-027010	
	100 units/bag	32500-027030	

Description	End line Fler 12		
Catalog numbers	10 units/bag	32500-027310	
	100 units/bag	32500-027330	

Description	Fler 12 threaded male 1/2 "		
Catalog numbers	10 units/bag	32500-027210	
	100 units/bag	32500-027230	

Description	Fler 12 barb 12		
Catalog numbers	10 units/bag	32500-027110	
	100 units/bag	32500-027130	



16 mm Fler connectors

Pipe inside Ø (mm)	Wall thickness		Max. working pressure (bar)	To fit Netafim dripperlines
	(mm)	(mil)		
15.9 - 16.1	0.10	4.0	0.60	Streamline™ 16040
	0.15	6.0	0.65	Streamline™ 16060
	0.20	8.0	0.85	Streamline™ 16080 , Super Typhoon™ 16080
	0.25	10.0	1.00	Streamline™ 16100 , Super Typhoon™ 16100
	0.31	12.5	1.40	Streamline™ 16125 , Super Typhoon™ 16125 , DripNet PC™ 16125
	0.38	15.0	1.80	Streamline™ 16150 , Super Typhoon™ 16150 , DripNet PC™ 16150

Description	Coupling Fler 16 x Fler 16		
Catalog numbers	10 units/bag	32500-025005	
	100 units/bag	32500-025020	

Description	End line Fler 16		
Catalog numbers	10 units/bag	32500-025265	
	100 units/bag	32500-025270	

Description	Fler 16 threaded male 1/2 "		
Catalog numbers	10 units/bag	32500-027670	
	100 units/bag	32500-027700	

Description	Fler 16 barb 16		
Catalog numbers	10 units/bag	32500-025230	
	100 units/bag	32500-025250	



22 mm Fler connectors

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
22.2	0.20	8.0	0.85	Streamline™ 22080, Python™ 22080
	0.25	10.0	1.00	Streamline™ 22010, Python™ 22100
	0.34	13.5	1.40	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.80	Python™ 22150, DripNet PC™ 22150

Description	Coupling Fler 22 x Fler 22		
Catalog numbers	10 units/bag	32500-028010	
	100 units/bag	32500-028030	

Description	End line Fler 22		
Catalog numbers	10 units/bag	32500-028260	
	100 units/bag	32500-028280	

Description	Fler 22 threaded male ¾"		
Catalog numbers	10 units/bag	32500-028210	
	100 units/bag	32500-028230	

Description	Fler 22 barb 20		
Catalog numbers	10 units/bag	32500-028110	
	100 units/bag	32500-028130	



25 mm Fler connectors

Pipe inside Ø (mm)	Wall thickness (mm)	Wall thickness (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
25.0	0.31	12.5	1.10	Ozline™ 25135 , DripNet PC™ 25135
	0.34	13.5	1.00	Ozline™ 25150 , DripNet PC™ 25150

Description	Coupling Fler 25 x Fler 25		
Catalog numbers	10 units/bag	32500-028980	
	50 units/bag	32500-029000	


Description	End line Fler 25		
Catalog numbers	10 units/bag	32500-029380	
	50 units/bag	32500-029400	


Description	Fler 25 threaded male ¾"		
Catalog numbers	10 units/bag	32500-029180	
	50 units/bag	32500-029200	




35 mm Fler connectors

Pipe inside Ø (mm)	Wall thickness (mm) (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
35.0	0.34	13.5	Hydra™ 35135
	0.38	15.0	Hydra™ 35150

Description	Coupling Fler 35 x Fler 35		
Catalog numbers	10 units/bag	32500-029990	
	20 units/bag	32500-030000	

Description	End line Fler 35		
Catalog numbers	10 units/bag	32500-030390	
	20 units/bag	32500-030400	


Description	Fler 35 threaded male 3/4"		
Catalog numbers	10 units/bag	32500-030190	
	20 units/bag	32500-030200	





16-17 mm Fler connectors

Pipe inside Ø (mm)	Wall thickness (mm) (mil)	Max. working pressure (bar)	To fit Netafim dripperlines
13.2 - 15.2	0.90	35.0	UniRam™ 16009 & 17009 , Ram™ 16009 & 17009 , DripNet PC™ 16350 & 17350 , Tiran 16009 & 17009
	1.00	39.0	UniRam™ 16010 & 17010 , Ram™ 16010 & 17010 , DripNet PC™ 16390 & 17390 , Tiran 16010 & 17010
	1.20	47.0	UniRam™ 16012 & 17012 , Ram™ 16012 & 17012 , Tiran 16012 & 17012

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

Description	Coupling Fler 1617 x Fler 1617		
Catalog numbers	10 units/bag	32500-025480	
	100 units/bag	32500-025500	


Description	Fler 1617 threaded male 1/2"		
Catalog numbers	10 units/bag	32500-025700	
	100 units/bag	32500-025720	


Description	Fler 1617 threaded male 3/4"		
Catalog numbers	10 units/bag	32500-025900	
	100 units/bag	32500-025920	

20 mm Fler connectors

Pipe inside Ø (mm)	Wall thickness (mm) (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
17.4 - 17.6	0.34	13.5	3.5
	0.38	15.0	4.0
			UniRam™ 20010 , Ram™ 20010 , DripNet PC™ 20390 , Tiran 20010 UniRam™ 20012 , Ram™ 20012 , Tiran 20012

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)


Description	Coupling Fler 20 x Fler 20		
Catalog numbers	10 units/bag	32500-027830	
	100 units/bag	32500-027850	


Description	Fler 20 threaded male 3/4"		
Catalog numbers	10 units/bag	32500-027950	
	100 units/bag	32500-027970	


23 mm Fler connectors


Pipe inside Ø (mm)	Wall thickness (mm) (mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
20.8	0.90	35.0	3.00
	1.00	39.0	3.50
			DripNet PC™ 23350 UniRam™ 23010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

Description	Coupling Fler 23 x Fler 23		
Catalog numbers	10 units/bag	32500-028035	
	100 units/bag	32500-028040	


Description	End line Fler 23		
Catalog numbers	10 units/bag	32500-029800	
	100 units/bag	32500-029820	


Description	Fler 23 threaded male 3/4"		
Catalog numbers	10 units/bag	32500-029700	
	100 units/bag	32500-029720	


Description	Fler 23 barb 25		
Catalog numbers	10 units/bag	32500-029740	
	100 units/bag	32500-029760	





Start connectors for PolyNet™ XF pipes & spare parts


Description	PXF fast start connector 16 w/ring		
Catalog numbers	100 units/bag	32500-024450	


Description	PXF ¾" male threaded start connector		
Catalog numbers	100 units/bag	32500-024400	


Description	PXF fast start connector 22 w/ring		
Catalog numbers	100 units/bag	32500-024200	

Description	PXF start connector Nut		
Catalog numbers	100 units/bag	32500-024640	


Description	PXF barb 16 start connector		
Catalog numbers	100 units/bag	32500-024250	


Description	PXF start connector threaded body		
Catalog numbers	100 units/bag	32500-024610	


Description	PXF barb 17 start connector		
Catalog numbers	100 units/bag	32500-024300	

Description	PXF & LYF fast 16 with assembly ring adapter		
Catalog numbers	100 units/bag	32500-018049	

Description	PXF barb 20 start connector		
Catalog numbers	100 units/bag	32500-024350	


Description	PXF & LYF fast 22 with assembly ring adapter		
Catalog numbers	100 units/bag	32500-018268	

Description	PXF repair start connector		
Catalog numbers	50 units/bag	32500-024750	

Description	PXF plug connector		
Catalog numbers	50 units/bag	32500-024150	

About Netafim™

Drip irrigation pioneer and global leader, Netafim™ delivers innovative solutions that increase crop yields and preserve scarce water resources. Netafim™ leverages cutting-edge, drip irrigation technologies and extensive agronomic expertise to provide end-to-end solutions for open-field crops and orchards as well as full turnkey greenhouse projects. Netafim™ supplies worldwide customers with agro-technical guidance, support and diverse solutions for orchards, vineyards, field crops, bio energy crops and greenhouses. Netafim's Engineering and Projects service offers customers comprehensive support with modular, tailored solutions from initial feasibility studies to post harvesting technologies. With over 2000 employees, 14 manufacturing facilities in 11 countries, Netafim™ boasts global sales of more than \$350 million.



Headquarters: Netafim Ltd.

Tel: +972 3 6919777 / +972 8 6474700 ■ Fax: +972 3 6911962
■ postmaster@netafim.com ■ www.netafim.com

Netafim Irrigation University

Tel: +972 4 6287779 ■ Fax: +972 4 6287210 ■ NIU@netafim.com

Irrigation & Agro Technology Research & Training Park

Tel: +972 4 6287572 ■ Fax: +972 4 6287718

Orchard & Vineyard - Research & Training Center

Tel: +972 4 6955543 ■ Fax: +972 4 6951221 ■ orchcenter@netafim.com

Drip Technology – Research & Training Center

Tel: +972 8 647 3111 ■ Fax: +972 8 642 0098 ■ eliezer.kelmeszes@netafim.com